Avalon Fire & Safety Ltd. Unit F - 60 Braid Street New Westminster Phone 778-242-1807

16

ROBERT

# TAKE A DEEP BREATH...

AND CONSIDER YOUR RESPIRATORY NEEDS. WE OFFER A COMPREHENSIVE RANGE OF RESPIRATORY PROTECTION PRODUCTS THAT CATER TO A WIDE ASSORTMENT OF APPLICATIONS. DISPOSABLE, FULL MASK, HALF MASK, PARTICULATE FILTER, ORGANIC VAPOUR, SUPPLIED AIR–WE MAKE SURE YOU CAN BREATHE EASY.

### FULL FACE RESPIRATORS



### FF-400 Series Ultimate FX Reusable Respirator

Soft silicone nose cup and faceseal, large lens with Scotchgard<sup>™</sup> protector coating, Cool Flow<sup>™</sup> exhalation valve, low-profile bayonet cartridge attachments, bonded silicone gaskets, and 6-strap configuration with comfort cradle.

SMALL: FF-401 MEDIUM: FF-402 LARGE: FF-403 SKU: 5005.013



### 6000 Series Full Facepiece

Reusable, silicone/thermoplastic elastomer, large lens, centre adapter, Cool Flow™ exhalation valve, APR/SA/PAPR modes, 4-point harness, bayonet connection.

SMALL: 6700 MEDIUM: 6800 LARGE: 6900 SKU: 5005.016



### 5500 X-plore®

Twin-filter, bayonet connection, EDPM body, double sealing frame, 5-point harness with wide strap design, polycarbonate or Triplex glass lens with 180° field of vision, low-profiled design.

SIZES: UNI 5500 SKU: 5007.030.001



### 7600 Series Silicone

Air purifying respirator, oral nasal cup, speaking diaphragm, 5-strap head harness with dual cartridge connectors, chin cup, neck strap. *Cartridges not included*.

SML: 760008AS SKU: 5001.004.001 MED/LG: 760008A SKU: 5001.003.001



### 5400 Series Low-Maintenance

Elastomeric, oral nasal cup, chin cup, latex-free, polycarbonate scratch resistant lens with 200° field of vision, PAPR or supplied air (SA) adaptable. Comes with peel-away windows, respirator wipes and storage bag. *Cartridges not included*.

# HALF FACE RESPIRATORS



**6000 Series Half Facepiece Respirator** Reusable, thermoplastic elastomer, 4-point harness, 2 lateral bayonet connections.

SML: 6100 MED: 6200 LG: 6300 SKU: 5005.001



7500 Series Half Facepiece Respirator Reusable, Cool Flow™ exhalation valve, silicone, 4-point harness, 2 lateral bayonet connections, soft sealing surface.

SML: 7501 MED: 7502 LG: 7503 SKU: 5005.008



**3300 X-plore® Half-Mask** Flexible nose area, adjustable FlexiFit head harness, hypoallergenic DrägerFlex, drop down X-guided strap system, 2 lateral bayonet connections, low profile.

SIZES: S-L 3300 SKU: 5007.010



3500 X-plore® Half-Mask

Flexible nose area, adjustable FlexiFit head harness, hypoallergenic DrägerFlex, drop down X-guided strap system, 2 lateral bayonet connections, low profile.

SIZES: S-L 3500 SKU: 5007.020



#### 7700 Series Silicone

Non-allergenic silicone, contoured sealing flange and cradle suspension system, dual cartridge connectors, PAPR or supplied air (SA) adaptable, dual elasticity headstraps, latex-free. *Cartridges not included*.

SML: 770030S MED: 770030M LG: 770030L SKU: 5001.001



#### 5500 Series Half-Mask

Non-allergenic elastomeric/silicone blend, contoured sealing flange, dual cartridge connectors, PAPR or supplied air (SA) adaptable, dual elasticity head straps, latex-free. *Cartridges not included*.

SML: 550030S MED: 550030M LG: 550030L SKU: 5001.000

### **FIT TESTING**

Worksafe BC and CSA require fit tests to be performed annually for respiratory equipment. Our Treen Health and Safety consultants are certified to perform comprehensive fit testing and can also help you to develop an effective respiratory protection program. We provide convenient onsite testing in compliance with occupational health and safety codes and CSA. Contact us today to schedule your routine fit test.

There are two fit testing methods, these are known as: *Quantitative* and *Qualitative* tests

### **QUANTITATIVE TESTS**

Can be used to fit test all types of tight-fitting masks including disposable, half and full face masks. Quantitative tests give an objective assessment of facial fit and provide a direct numerical result called a Fit Factor.

### **QUALITATIVE TESTS**

Rely on the wearer's subjective assessment of face seal leakage. These methods, during a set of test exercises, use the wearer's sense of smell or taste to detect face seal leakage of a test agent.

# 

# DISPOSABLE RESPIRATORS



### 1300 X-plore®

CoolSAFE<sup>™</sup> filter material with hypoallergenic inner layer, nose clip, nose seal, VarioFLEX<sup>™</sup> continuous loop head harness with EasyStop adjustability. 20/box.

SIZES: S/M, M/L 1350 SKU: 5009.001



**1300 X-plore® Exhalation Valve** CoolMAX<sup>™</sup> exhalation valve, CoolSAFE<sup>™</sup> filter material with hypoallergenic inner layer, nose clip, nose seal, VarioFLEX<sup>™</sup> continuous loop head harness with EasyStop adjustability. 10/box.

SIZES: S/M, M/L 1350 V SKU: 5009.005



**2200 N95 Particulate Respirator** 100% PVC-Free®, Dura-Mesh® shell, molded nosebridge with foam cushion, Softspun® lining. 20/box.

SIZES: M/L 2200N95 SKU: 5012.004.001



MOX DOX

ЗМ

### 2300 N95 Particulate Respirator with Exhalation Valve

100% PVC-Free®, exhalation valve, Dura-Mesh® shell, molded nosebridge with foam cushion, Softspun® lining. 10/box.

SIZES: S, M/L 2300N95 SKU: 5012.001





8210 N95 Particulate Respirator Advanced Electret Media (AEM), welded strap attachment, soft nose foam and adjustable noseclip. 20/box.

8210N95 SKU: 5011.010.001 8210V SKU: 5011.015.001 (with Cool Flow™ valve)



ЗМ

8511 N95 Particulate Respirator Features the proprietary Cool Flow™ valve. Ideally suited for hot/dusty work settings that require long periods of wear. 10/box.

8511N95 SKU: 5011.011.001



### 9211 N95 Respirator

ЗМ

Three-panel (collapse resistant), Cool Flow™ valve. Ideally suited for hot/dusty work settings that require long periods of wear. 10/box.

9211N95 SKU: 5011.014.001



8577 P95 Nuisance Odour Cool Flow™ exhalation valve, braided headbands, adjustable M-noseclip, nuisance level organic vapour relief. 10/box.

8577P95 SKU: 5006.055.001



**7130 N95 Standard Respirator** Closed cell foam nose pad, curved nose clip, latex free. 20/box.

7130 N95 SKU: 5010.010.001



4200 CFR-1<sup>™</sup> Comfort Fit Thermoplastic elastometer seal, adjustable harness system, parking mechanism. N95 & R95 filters available.

SML: 4200S MED: 4200M LG: 4200L SKU: 5001.020



**RP1500 Comfort Mask** Nuisance level mask (not NIOSH approved), nose clip, disposable. 50/box.

RP1500 SKU: 5010.009.001



**2117 Surgical Mask** Ear straps, folded. 50/box.

# CARTRIDGES/FILTERS



#### 2091 Particulate Filter

Pancake filter for welding, metal pouring and pharmaceuticals. NIOSH approved for environments containing certain oil and non-oil based particles. 2/pack.

2091 SKU: 5006.003.001



#### 2097 Particulate Filter P100

Pancake filter for welding, metal pouring, pharmaceuticals, chemical manufacturing and undercoating. Nuisance level organic vapour relief. 2/pack.

2097 SKU: 5006.001.001




3M

#### 60923 Cartridge/Filter P100

NIOSH approved against certain organic vapours, acid gases and particulates. Use with 3M<sup>™</sup> 6000 and 7000 series half and full facepieces with bayonet style cartridge holders. 2/pack.

60923 SKU: 5006.052.001



Protects against organic vapours, ammonia, methylamine, fomaldehyde and acid gases. Suggested applications include petrochemical & chemical processing, utilities, pharmaceuticals, mining and primary metals. 2/pack.

60926 SKU: 5006.054.001



### 6001 Organic Vapour Cartridge Suggested applications include petrochemical,

chemical manufacturing, construction, transportation and electronics. 2/pack.

6001 SKU: 5006.008.001



3М

### 501 Filter Retainer

Used to hold 3M<sup>™</sup> particulate filters 5N11 and 5P71/07194 (AAD) in place on top of 5000 series respirators and 6000 series cartridges.

501 SKU: 5006.023.001



### 6003 Organic Vapour and Acid Gas Cartridge Suggested applications include pharmaceutical, petrochemical, utilities, aluminum reduction, chemical manufacturing, laboratories, and pulp & paper. 2/pack.

6003 SKU: 5006.010.001



### 6738012 X-plore® Filters P100 Particle filter. 2/pack. 6738012 SKU: 5008.001.001



### 6006 Multi Gas & Vapour Cartridge

Protects against certain organic vapours, acid gases, ammonia, methylamine or formaldehyde. Suggested applications include petrochemical & chemical processing, utilities, pharmaceuticals, mining and primary metals. 2/pack.

6006 SKU: 5006.005.001



3M

3M

### 7093 Particulate Filter

Suggested applications include welding, brazing, torch cutting, metal pouring, soldering, and exposure to lead, asbestos, cadmium, arsenic, and MDA for concentrations up to 10 times the Permissible Exposure Limit (PEL) with half facepieces or 50 times PEL with full facepieces. 12/box.

7093 SKU: 5006.012.001



### 5N11 Particulate Filter

NIOSH approved for environments containing certain non-oil based particles. Use with 3M™ 5000 series respirators or 6000 series cartridges, and 501 filter retainer. 10/box.

5N11 SKU: 5006.022.001







6738350 X-plore® PURE P100 Pancake particle filter. 2/pack.

6738350 SKU: 5008.006.001



6738392 X-plore® PURE P100 Pancake particle filter with OV/AG nuisance odour protection. 2/pack.

RESPIRATORY PROTECTION

31

6738392 SKU: 5008.007.001

## CARTRIDGES/FILTERS



#### 6738361 Multi-Gas+/P100

Protects against organic vapours, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide, hydrogen sulfide, ammonia, formaldehyde, methylamine, oil and solid particulates. For Draeger X-plore 3300, 3500, 5500 and 5500 Triplex face mask respirators. 2/pack.

6738361 SKU: 5008.025.001



**6738020 X-plore® Filter Pad N95** Particle filter pad. 2/pack.

6738020 SKU: 5008.002.001



### 7583 P100 Organic Vapour & Acid Gas

Organic vapours and acid gases (chlorine, hydrogen chloride, sulphur dioxide, hydrogen sulfide [escape only], hydrogen fluoride and chlorine dioxide); and 99.97% minimum filter efficiency for all particulates.

7583P100 SKU: 5002.008.001



75SCP100 Multi-Purpose with P100

Organic vapours, ammonia, methylamine, formaldehyde & acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape only], hydrogen fluoride and chlorine dioxide), 99.97% minimum filter efficiency for all particulates. 2/pack.

75SCP100 SKU: 5003.015.001



**6738038 X-plore® Filter Pad Retainer** Use to add N95 or R95 filter to cartridge.

6738038 SKU: 5008.004.001



75SC Defender™ Multi-Purpose Organic vapours, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape only], hydrogen fluoride and chlorine dioxide). 2/pack.

75SC SKU: 5003.016.001



N75001 Organic Vapour Organic vapour cartridge. 2/pack. N75001 SKU: 5002.001.001



**75FFP100NL Pancake Filter with Odour Relief** P100 low profile, flexible, relief from nuisance levels of organic vapors, acid gases and ozone. 2/pack.

75FFP100NL SKU: 5003.022.001



N75003 Organic/Acid Organic vapour, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide cartridge. 2/pack.

N75003 SKU: 5002.003.001



**7506N95 Non-Oil Particluate Filter** 95% filter efficiency for non-oil based aerosol particulates. 10/box.

7506N95 SKU: 5003.025.001



**7580 P100 Particulate Filter** P100 Particulate Filter; 99.97% minimum filter efficiency for all particulates. 2/pack.

7580P100 SKU: 5002.005.001



**7506R95 Particulate Filter** 95% filter efficiency for all particulates, R95 oil degrading, 10/box.

7506R95 SKU: 5003.028.001



7581 P100 Organic Vapour Organic vapours and 99.97% minimum filter efficiency for all particulates. 2/pack. 7581P100 SKU: 5002.006.001



N7500-27 Seal Check/Filter Cover To attach 7506N95, 7506N99 & 7506R95 filters to chemical cartridges. If using filter only, use with N750015 filter holder.

N7500-27 SKU: 5003.008.001

## **ACCESSORIES**



Parat<sup>®</sup> C Fire Escape Hood Sturdy plastic traveller-pack case, highly visible hood, flexible neck seal, anti-fog coated visor, minimum 15 minutes breathe time.

R52818 SKU: 5007.055.001



Acid Gas Mouthpiece Respirator Silicone removable mouthpiece with wide opening, nose pads held on a balanced string, nylon neck strap, carrying bag. Protection from atmospheres containing chlorine, hydrogen chloride, hydrogen sulfide, chlorine dioxide and sulfur dioxide.

UNIVERSAL 7092 SKU: 5010.002.001



3M<sup>™</sup> 5602 Disposable Mouthpiece Respirator Escape only, acid gas, 10/box.

5602 SKU: 5005.005.001



#### **Backpack Adapter**

Low-profile design, replaceable filters. Facepiece and cartridges sold separately. Adaptable to all North full facepiece and half-mask air-purifying respirators.

BP1002 SKU: 5004.051.001



**Peel-Away Lens** Three peel-away lenses per assembly. 5 assemblies/pack.

80836A SKU: 5004.001.001



6885 Faceshield Cover Use on 3M<sup>™</sup> 6000 Series full facepieces to help protect the lens. 25/pack.

6885 SKU: 5005.022.001



**Cleaning Pads** Individually foil packaged towelettes. 70% isopropanol or alcohol free available. Will not harm rubber facepieces. 100 towelettes/box.

ISOPROPANOL: 1001 SKU: 5004.011.001 ALCOHOL FREE: 3001 SKU: 5004.168.001



Fit Test Apparatus (Bitter) Meets the performance criteria for fit testing respirators under the current OSHA standard for respirator protection.

FT-30 SKU: 5005.998.001



Irritant Smoke Qualitative Fit Test Kit Includes an air-purifying training video. Comes in paperboard carrying case.



**Irritant Smoke Tubes** For Qualitative Fit Test Kit. 6/pack. 770047/C SKU: 5004.155.001



**Cradle Suspension System** Standard, for use with 7700 and 5500 series facepieces.

770092 SKU: 5004.007.001